

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L9	172	sheet with circuit with miniatur\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 09:49
L10	2	sheet with circuit with miniatur\$4 with (net or instance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 09:50
L11	64	(sheet or drawing or schemetic or diagram) with circuit with (miniatur\$4 or icon or symbol) with (net or instance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 09:54
L12	3	(sheet) with circuit with (miniatur\$4 or icon or symbol) with (net or instance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 09:54
L13	103	(sheet) with (miniatur\$4 or icon or symbol) with (net or instance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 09:55
L14	19	(sheet) with (miniatur\$4) with (net or instance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 09:56
L15	674	(sheet) with (circuit) with (net or instance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 09:56
L16	232	(sheet) with (circuit) with (net)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 09:58

EAST Search History

L17	11	(sheet) with (logic) with (net)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 09:59
L18	0	(sheet) with (circuit with (symbol or thumbnail)) with (net)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 09:59
L19	8	(sheet) with ((symbol or thumbnail)) with (net)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 10:00
L20	870	((symbol or thumbnail)) with (net)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 10:00
L21	181	((symbol or thumbnail)) with (net)with (circuit or logic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 10:05
L22	2	((symbol or thumbnail)) with (net)with (circuit or logic) with (page or sheet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 10:06
L23	15	((symbol or thumbnail)) with (net) with (page or sheet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 10:07
L24	788	connect\$4 with (net) with (page or sheet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 10:08

EAST Search History

L25	229	connect\$4 with (net) with (page or sheet) and (logic or circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 10:08
L26	502	connect\$4 with (net) with (page or sheet) and (drawing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 10:09
L27	21	connect\$4 with (net) with ((page or sheet)with drawing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 10:16
L28	1	"715".clas. and connect\$4 with (net) with drawing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 10:29
L29	15	"716".clas. and connect\$4 with (net) with drawing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 10:36
L30	2211	"716".clas. and connect\$4 with (drawing or layout)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 10:37
L31	57	"716".clas. and connect\$4 with outline	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 10:47
L32	0	"716".clas. and connect\$4 with outline with sheet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 10:47

EAST Search History

L33	144	"716".clas. and connect\$4 with (sheet or page)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 10:48
L34	19	"716".clas. and connect\$4 with (sheet or page) and outline	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 10:50
L35	22	"716".clas. and connect\$4 with (sheet or page) and (outline or border)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 10:56
L36	419	"345".clas. and connect\$4 with (sheet or page) and (outline or border)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 10:57
L37	9	"326".clas. and connect\$4 with (sheet or page) and (outline or border)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 10:59
L38	0	"382"/144-151.clas. and connect\$4 with (sheet or page) and (outline or border)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 10:59
L39	0	382/144-151.clas. and connect\$4 with (sheet or page) and (outline or border)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 11:00
L40	0	382/144-151.clas. and (sheet or page) and (outline or border)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 11:00

EAST Search History

L41	125	382/144-151.ccls. and (sheet or page) and (outline or border)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 11:00
L42	6	382/144-151.ccls. and connect\$4 with (sheet or page) and (outline or border)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 11:01
L43	0	382/144-151.ccls. and net with (sheet or page) and (outline or border)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 11:01
L44	39655	((sheet or page)with circuit or logic) and (outline or border)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 11:01
L45	8059	((sheet or page)with circuit or logic)with connect\$4 and (outline or border)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 11:02
L46	1508	((sheet or page)with circuit or logic)with connect\$4 and ((outline or border) with (circuit or logic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 11:03
L47	324	((sheet or page)with (circuit or logic))with connect\$4 and ((outline or border) with (circuit or logic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 11:04
L48	324	((sheets or pages)with (circuit or logic))with connect\$4 and ((outline or border) with (circuit or logic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 11:04

EAST Search History

L49	68	((sheets or pages)with (circuit or logic))with connect\$4 and ((outline or border) with (circuit or logic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/31 11:06
L50	167	(sheets or pages)with connect\$4 and ((outline or border) with (circuit or logic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/31 11:07
L51	8	(sheets or pages)with connect\$4 with (displa\$2 or screen) and ((outline or border) with (circuit or logic))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/31 11:09
L52	22566	outlin\$4 with (circuit or logic or instance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 11:10
L53	46	outlin\$4 with (circuit or logic or instance) with net	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 11:32
L54	2	("5218551").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/31 11:50
L55	8	hierarchic near4 symbol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 11:53
L56	75	hierarchic near4 (circuit or logic or chip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 11:55

EAST Search History

L57	4	hierarchic near4 (circuit or logic or chip) with (divid\$4 or section)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 11:57
L58	489379	(circuit or logic or chip) with (divid\$4 or section)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 11:58
L59	27346	(circuit or logic or chip) with (divid\$4 or section)with draw\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 11:58
L60	128	(circuit or logic or chip) with (divid\$4 or section)with draw\$4 and hierarch\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 12:08
L61	53	(circuit or logic or chip) with (divid\$4)with draw\$4 and hierarch\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 12:13
L62	741	(circuit or logic or chip) with (split\$4)with draw\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 12:15
L63	5343	(circuit or logic or chip or instance or smybol) with (split\$4 or divid\$4 or partition\$4)with draw\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 12:16
L64	5569	(circuit or logic or chip or instance or symbol) with (split\$4 or divid\$4 or partition\$4)with draw\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 12:16

EAST Search History

L65	18	(circuit or logic or chip or instance or symbol) with (split\$4 or divid\$4 or partition\$4)with draw\$4 with net	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 12:19
L66	1262	(circuit or logic or chip or instance or symbol) with (split\$4 or divid\$4 or partition\$4) with net	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 12:19
L67	429	(circuit or logic or chip or instance or symbol) with (split\$4 or divid\$4 or partition\$4) with (net with connect\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 12:20
L68	38	(chip or instance or symbol) with (split\$4 or divid\$4 or partition\$4) with (net with connect\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 12:20
L69	25	(chip) with (split\$4 or divid\$4 or partition\$4) with (net with connect\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 12:25
L70	112	(chip) with (split\$4 or divid\$4 or partition\$4) and (net with connect\$4 with (drawing or schematic or layout))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 12:25
L71	152	(chip) with (split\$4 or divid\$4 or partition\$4) and (net with connect\$4 with (drawing or schematic or layout))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/31 12:25